Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



A292.9 So8Wa cap.2

United States
Department of
Agriculture


Soil Conservation Service

Salt Lake City Utah

WATER SUPPLY OUTLOOK FOR UTAH

in Cooperation with Utah State Department of Natural Resources





TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent of surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1,900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: LONE CONE, NEAR NORWOOD, COLORADO

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchroage Alaska 99504
Arizona	Room 3008, Federal Building, 230 N. First Ave., Phoenix, Arizona 85025
Colorado (N. Mexico)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th St., Boise, Idaho 83702
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno, Nevada 89505
Oregon	1220 S. W. Third Ave., Portland, Oregon 97204
Utah -	4418 Federal Bldg., 125 South State St., Salt Lake City, Utah 84147
Washington	360 U. S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82602

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Snow Surveys Branch, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 -- for British Columbia by the Ministry of the Environment, Water Inventigations Branch, Parliament Buildings, Victoria, British Columbia V8V 1X5 -- for Yukon Territory by the Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory Y1A 3V1 -- and for Alberta, Saskatchewan, and N.W.T. by the Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta T3C 1A6.

WATER SUPPLY OUTLOOK FOR UTAH

and

FEDERAL-STATE-PRIVATE COOPERATIVE SNOW SURVEYS

issued by

PETER C. MYERS

CHIEF
SOIL CONSERVATION SERVICE
WASHINGTION, D.C.

Released by

GEORGE D. McMILLAN
STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
SALT LAKE CITY, UTAH

In Cooperation with

UTAH STATE DEPARTMENT OF NATURAL RESOURCES

DEE C. HANSEN

State Engineer

Division of Water Rights

Division of Water Resources

Report prepared by Snow Survey Staff

BOB L. WHALEY, Supervisor

Soil Conservation Service 125 So. State, Fed. Bidg. P.O. Box 11350 Salt Lake City, Utah 84147

A PARTITION OF THE SAME OF THE PARTITION OF THE PARTITION

The contract of the contract o

the terraneous contract to the place of the second

Commence of Buildings of Bridge

WATER SUPPLY OUTLOOK

As Of October 1, 1982

Delayed melt of a very heavy snow pack last spring produced later and heavier than usual streamflow giving water users more than adequate water supplies in the northern two-thirds of the state.

Precipitation during the July, August and September period was 1-1/2 to 3 times average – with some stations showing 15 to 25 inches of moisture for the three months. The exceptionally heavy storm the last week of September contributed 1 to 9 inches of moisture saturating the soil and causing damaging runoff in many areas of the state.

Reservoir storage is very good for October 1, with some reservoirs reported full and spilling. The total of 24 key reservoirs is now 138% of the 1963-77 average for October 1st and 146% of last year at this time.

The following table is a comparison of forecasts made on May 1, with provisional flow measured by the Geological Survey and other cooperators.

Station	Forecast Period	May 1 Forecast (1000 A. F.)	Measured Flow for the Period (1000 A. F.)
BEAR RIVER			
Bear nr Ut-Wyo. State Line Bear nr Woodruf	May-July	134	137
Woodruff nr Woodruff Bear nr Randolph		20	22
Logan nr Logan (combined)	May-July	132	157
Blacksmith Fk nr Hyrum	May-July	59	63
Little Bear nr Paradise	May-June	42	43

WATER SUPPLY OUTLOOK (continued)

Station	Forecast Period	May 1 Forecast (1000 A. F.)	Measured Flow for the Period (1000 A. F.)
WEBER-OGDEN RIVERS			
Weber nr Oakley Rockport Reservoir Inflow Chalk Creek nr Coalville Weber nr Coalville Lost Creek nr Croydon East Cyn. Creek nr Morgan Echo Reservoir Inflow Weber River nr Gateway South Fk Ogden nr Huntsville Pineview Reservoir Inflow	May-June	138 155 58 156 16.4 23 205 376 55	122 149 50 145 20 29 180 289 65 106
PROVO-UTAH LAKE			
Provo River nr Hailstone Strawberry Reservoir Inflow	May-July May-July	161 67	153 84
UINTAH BASIN & DAGGETT SCD'S			
Duchesne nr Tabiona Duchesne at Duchesne Strawberry at Duchesne Rock Creek nr Mtn. Home Currant Creek nr Fruitland Lakefork below Moon Lake Yellowstone nr Altonah Duchesne at Myton Whiterocks nr Whiterocks Uintah River nr Neola Duchesne nr Randlett Henrys Fork Blacks Fork nr Millburne Ashley Creek nr Vernal	May-July	98 437	161 254 79 107 27 77 71 262 60 85 319
SEVIER RIVER INCL. BEAVER RIV	ER		
Beaver nr Beaver Oak Creek nr Oak City Chicken Creek nr Levan North Creeks combined Minersville Inflow Seven Mile Creek nr Fish Lake	May-July May-July May-July May-July May-June May-July	33 1.1 4.4 no gage no gage 7.1	
SAN RAFAEL, MUDDY, VIRGIN, AN	D FREMONT	RIVERS INCL. MI	LL CK. NR MOAB
Cottonwood Ck. nr Orangeville Ferron nr Ferron Muddy Creek nr Emery Mill Creek nr Moab Virgin nr Hurricane	May-July May-July May-July May-July May-June	67 62 33 2.5 19	63 47 25 3.4 29

RESERVOIR STORAGE (Thousand Acre Feet) END OF MONTH

Basin or Stream	RESERVOIR	Usable		Usable Storage	
Basin or Stream	KESEKVOIK	Capacity	This Year	Last Year	Average
GREAT BASIN					
			4010 -		1001 1
Bear River	Bear Lake	1421.0	1240.5	881.8	1091.1
	Woodruff Narrows	57.3	59.3	14.2	12.0
	Birch Creek	2.2	1.0		
	Woodruff Creek	4.0	2.2	0.4	
Beaver River	Minersville (RkyFd)	23.3	10.4	7.9	5.2
ittle Bear	Hyrum	15.3	10.4	3.1	8.7
	Porcupine	11.3	3.2	0.7	2.2
)gden	Causey	6.9	2.8	1.3	1.6
ygdell	Pineview	110.1	77.8	48.0	57.7
rovo	Deer Creek	149.7	134.9	75.2	100.9
Settlement Creek	Settlement Creek	1.2	0.6	0.3	100.5
Settrement Creek			0.0	0.3	
Caudan Divers	Vernon Creek	0.6	0.7	3.8	3.6
Sevier River	Gunnison	18.2	8.7		
	Otter Creek	52.5	35.1	29.4	18.7
	Piute	71.8	43.6	16.0	13.4
	Sevier Bridge	236.0	130.7	115.0	66.3
	Panguitch Lake	22.3	18.6	16.2	
panish Fork	Strawberry	270.0	235.0	162.2	149.0
	Soldier Creek	1106.0		44.1	
tah Lake	Utah Lake	883.9	936.3	645.8	569.8
leber	East Canyon	48.1	36.8	27.3	25.3
	Echo	73.9	45.2	16.0	27.6
	Lost Creek	20.0	17.0	12.1	13.8
	Rockport	60.9	62.4	43.8	44.4
	Willard Bay	193.3	162.0	125.9	145.9
	Arriara bay	150.0	102.0	120.5	110.0
COLORADO RIVER BAS	IN				
Ashley Creek	Steinaker	33.3	22.2	17.3	16.4
Siriey Oreck	Red Fleet	26.0	18.1	10.0	10.7
'alamada		829.5	739.0	379.5	
colorado	Blue Mesa				
	Lake Powell	25002.0	23005.0	20765.0	
ireen	Flaming Gorge	3749.0	3572.0	2920.0	10.0
akefork	Moon Lake	35.8	46 -	4.7	10.6
rice River	Scofield	65.8	48.5	29.3	34.0
an Juan	Navajo	1696.0	1506.0	1248.0	
an Rafael	Huntington North	3.9	2.9	0.9	1.0
	Joe's Valley	54.6	51.6	41.3	38.6
	Mill Site	16.7	10.3	5.6	
Strawberry	Starvation	165.3		136.7	123.6
lintah	Bottle Hollow	11.3	11.4	10.4	10.2
				-	
				-	

UEDA-SCS-PORTLAND, OREG. 1869

THE RESIDENCE OF THE PARTY OF T

UTAH PRECIPITATION DATA

1982 WATER YEAR

STATION NAME	0CTDEC.	4 A A B B A	>- Q	FFBRU	¥ ⊁	B A R C H		APRIL		A A		JUVE		JULY-55P	•	TOTAL
BEAR RIV	E R D A S	z														
UG LAKE URTS-MILLER LAGESTON WI	1731 14.37	1/20	4.00	2/24	8 C	3/24	5 to 0 to	92/4	2.73	77.26	0 0 0 0 0 0	5721	€ € 0 €	10/01 14 9/28 6	\$ 5	50.29
FRANKLIN BASIN GARDEN CTY SMI	1/31 29.80	1/26	3×.30	2/23	N/ 00			4/25 1	11.20		3.00			30 8	.91 4	
A YD EN FOR	1/52 16.18	1/2-	F. 6 . F.	2/25	00 00 143	_	64.4	92/5	5.4.5	_	1.97	5/53		10/01 11.	2.0	
ILY LAKE	/31 12.1	0	7.	12	6	12	N	12	57.4	_		67/5		0/04	0	n N
ITTLE BEAR	1/31 19.20	12	6 • 7	21	0	2/	7 .	2/	2.00		-	7731	90	0/01 1	್ಷ	۳-
LONDIKE	2 . 4 601	1/25	20.21	2/23	4.36	<u> </u>	000	27/7	4.67	5/26	2.26	7/31		9/28	00 1	7 1
ALT PIVER SM	15/30 12.74	20	0 m	47)- L/	7.0	4 0	1		· ·		- 0 2 / 9	0 9	02/0	- ~	- 2
TILL ATER C		10	. t	2	N	12	. 7	2	4.67			52/9	0	82/5	121) ().
ONY GROVE LK	1/31 27.50	12	2.0	2/	~	12	M.)	12	32.5	-	_	7/15	O	0/01 1	0.7	~
ONY SPOVE R		7/	7.07	1,	<i>y</i> .	2/	N.	2/	(-) (-)	-	-	7731	Š	6/30	17	0
ILLOW FLAT	1/11 20.32	12	7 • 7	12	C-	7.5	•	13	52.5		-	0130	9	7	22	- 2
9 0 - a B B B B	DENRI	V E	A A	Z H S	S											
EL LOWOND T	/14 15.	2	. N	17	α (*) •	25	12.58		3.71	5126			2.12	01 16	.53 6	\circ
EN LOMOND PK	1/01 26.90	9	7 .	2	9.13	1/0	5	-		_	-	\mathbb{C}	• 5	0/01 18	0.9	6.7
AUSFY DSM		15	F	12	こと	212	ار. * اد.	-		-	-	\mathcal{I}	0.	0/01 8	25	5 • 3
HALK CREEK	701 18.5	<u></u>	0	\sim	2.73	0/:	7	-		-	_	13	67	0701 11	65	7. 5
HALK CKREK	/31 11.7	0/	· 7	2	1.70	0/+	∞ •	-		-	-	7	2	0/01 10	72	\$. 2.
HALK CREEK A	1/13 12.38	1/2/	2 . 3 5	2/25	1.42	3/2	ا د کا •	<u>'</u>		-	-	2	~) (6 62/6	4 (0 1
A DESTRUCTOR OF	101 101	7 /		30	0 7 ° C	7/5	, O		•	-	-	7	• //	71 10/5) V	
A RETARTON	1/01 20.00	0	.X	10		10	N G	` ~			_		<i>\(\omega\)</i>	20 1070	()	2 2
A PRINCION OF		1/25	10 0 H C	10) () () ()	10	. ∾ • •	. ~		-	-	- C	1.7	0/21 0) (C)	7
RANCIS CA		1	•	L	e r	1	•	1		•	•	,		10/67 8		4 · 7
UILDERS PEAK												101	5. 6			
ANDSCRABBL	1													2015		9.5
OPSE PERSE	12/2= 12.80	2	ا ت	2/1/2			6.11	277	U) P	()	1.00	7129		10/01 10	270	•
	123 05.1	1727	1 C C C C C C C C C C C C C C C C C C C	7			•	7/	- / •	07/0	•			4 9014	3	t .
ARLEY CYN	1/04 17.35	2	63	2725			6.62	67/5	P()	2	0.10	67/5	-10	10/01 13	.73	2.5
		0	1	i						1	1					

NOTE: BLANK SPACES INDICATE NO READING TAKEN, NEXT READING IS CUMULATIVE (EXCEFT AS NOTED *) *: GAGE MOLESTED, DATA FOR THIS PERIOD LOST

AB PRECIPITATION SATA

1932 MATER YEAR

BANK WILLS	OCTDRC.	**************************************	>- L - 	m 21 22 23 24 24 25 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	1 2 4	H D & V & A		11300		>' *4		3706		3 ULY-5	SEPT.	TOTAL
		-2/1	000	W. 170	(/) • • • •	1/3	\$ • •	2/	4.26	() () ()	t/) 6/3 6/3	6/38	29.70	9733 10701	.01	.o →
ERCSANT LAKE	1/31 10.	-1/1	1.74	5778	• +	2752	72.4	7214	4 • 4 2	5275	1.60	0/25	26.17 1.75	0/0	10.10	•
UTAR LAK	с • • •	# A	> F	Si.	e N	Z										
REAVER DIVIDE CLEA/ CA RDG 7 DANIFL+STI SMT	1/01 10.0	60 1/2	4 4 0	2/27	2.59 0.59 0.59	3/27 3/31 4/01	1.10	4/27	10 C C C C C C C C C C C C C C C C C C C	5/20	2 · · · · · · · · · · · · · · · · · · ·	6/20	1.90	10/01	00 00 00 00 00 00 00 00 00 00 00 00 00 00	45.1E 76.55 42.09
ESET PEAK UTCHMAN RS AST FORTAL	12/21 14.	2/2/	10 0	1717	64 02 04	100 121 121	4 M W	5/2/2/	· · · ·	55	0 h	30	1 1	5000	0.5	· ·
JUSTE CK SM AKE CYFFK		6		,	(5 5	•	~ ;	N v	5 5	w n	227	500	2/0	9 9 9	42.14
I DO LE CANY	12/31 16.	3 (3)	1 (v) -	4 5 10	, 40	000	. 4 +	400	Cint	200	. 7.	40	4 O H		000	5.2
		2/2	10.	101	1 1-	500	- :: r	101	• •	100	• • ·	1 2) 17 (* *	2/6	10.0	0 00 1 0 4 -
O APST I APAN RIAL	12/26 22.	25 - 17 S		2/27/2	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3/27	3.27	4/26 5/61 4/26	7.60	2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 /	2.00 2.00 2.00 3.00 3.00 3.00 3.00 3.00	5/24 5/25 5/29	1.40	9/28 10/01 9/28	6.45 15.30 11.52	59.85
B FR ON C STEK	12/33 10.	0 1/3	₹ 2	21	1.7	12	0.	0/	9	5.	2	2	~	0/0	1.4	0.0
	ш ж ш	Z	E. U.	a:	Z m											
MLEY TWI MOOF LAK MOPS FR PWN DUCK	27.27	CC 1/2 1/2 1/2	10 M 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4000	(1 C)	3/20	5000	4127	(F 4	0 0 0 0 0 0 0 0 0	1.70	0 0 0 0 0 0 0 0 0	4. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	10/04 10/01 9/28 9/30	0.00 7.55 15.20	4 W W W W W W W W W W W W W W W W W W W
CK PASTURE RNT CREEK RD FIN TOS	12/37 0.0	GC 172.	2.20	2725	0.1	3/31		52/5	1.50	2		62/9	O/	9/5		
NT CREEK PLACKS F POIST LK LY (1965	12/37 12	66 1/26 1/20 or 1/21 21 1/23	THE COME	W 20 W 20 W 30 W 30 W 30 W 30 W 30 W 30	0000 0000 0000	4/01 3/27 3/31	2.45.8	4/28 4/26 4/29 4/29	4 5 0 C	2000	0 = 21 Z 0 = 2 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0 Z 0	6/20	1.37	9/28	8.48 10.00 10.40	44 W W W W W W W W W W W W W W W W W W
	CES INDICA	0 1 41	53134	* X 3 X X	20	FADIRS	130	ALLIATI	VF (F Y C	FPT AS	6 L C Z	*		7) m

ROTE: ALARK SPACES INDICATE NO PRABING TAKEN, LEXT READING IS CUPULATIVE (EXCEPT *: GAGE MOLESTED, DATA FOR THIS PERIOD LOST

UTAH PRECIPITATION DATA

1982 WATER YEAR


STATION NAME	0CTDEC.	JANUA	UARY	FFBRU	* * *	FARCH		APRIL		¥ 4 Ki		JUVE		JULY-S	EPT.	TOTAL
ICK FRSON PERINTA GS NDIAN CANY	12/07 6.	1/2 1/2 25 1/2 1/2	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2/26	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- 8 4 4 8 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4/28	00000	2000	6 9 10 10 10 10 10 10 10 10 10 10 10 10 10	6/29	1.15	9/28	7.50	23 · 27 33 · 22 32 · 37
IDNEY LAKES INGS CABIN U	2/31 3	57 1/2		1 22) 00 M	1 2 2	, mo	1 20		. 2.0	- 4	21	5 4	12/	9.6 7.0	2 - 2
AKEFORK STN TGHTNING LA	12/31 9	1/1	14 K	120	0.7	77	(J) (K)	120	ب ت	121	. 2 4	MK	9 7	9/30	1 M C	- (** x
OSEY WOUNTAI ASABISE PARK	2/31	10 1/2	1014 1014	2/26		3/5%	5 m c c c c c c c c c c c c c c c c c c	4/27		5/25	3.10 3.10	5/50 5/50 6/30	7.54	701 724	7.2	
EYNOLDS PAR OCK CREEK HADIA LAKE	12/31 8.	93 1/2	. W	_	9	12	•	12			•	23	-	9/2	OC:	· · ·
SPIRIT LAKE STEEL CKK PAPK TROUT CREEK	12/30 11.	1/2 50 1/2 37 1/2 57 1/2	13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2/26	1.43	3/20	7 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	72/4	ききこく 4444 そこに C	2/27	200	67759	1.00	9/28	7.50 10.23 10.70	34.71
FK DUCHESNE	α α	ш «	· I	1 ax	, v	2			•		•	/30	• •	127	4) #) (
LACKS FLAT-	7 1011	57 1/2	K)	12	٠ ن	12	100	-	-	5/26		()		0/0	- ac - ac	2.0
UCK SOAR	/30 /24 /24	55 1/2	W 10	57	64	12	* n	-	L- L	5/26		13	5.	9/2	1.9	4 • 5
A M P L A C	12/30 5.	1/2		120		72	 	. ~ ~	- 0 0	101 cm	• •	127	4.0	9/28	11.55	31.55
ISH LAKE		1/2	1 6 9	100	141	221	* * :	. ~ .) O L	5/26		20:	1 M C			
E MIN CONTRACTOR CONTR	12/29 10.	73 1/2	2	2/26	7.70	3/26	7			0 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	100 200 100 100 100	0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	D 000 47 3	10/01	11.57	7 W
ED FINE RITUART RS O	1/31 17.	172	4. 4. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	120	- M W) W W	9.4		. N 4	100 100 100 100		100	* W ()	0/01	0 4	20.4
HITE RIVER EELEY CR RS	1701 11.	50 1/2	1 · · · · · · · · · · · · · · · · · · ·	20	P ←	2	4 10	57.01	1.90%	5/27		25	1.10	10/01	10.00	3.4 3.4 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0
B H S S	E A V F R	H W	м М	න න ස	2											
PEAVER DAMS	1/01 13.	00 1/2	3 4.70	2126	2.12	3/30	4.21	1277	€ 	5/26	1.95	6715	φ. 10°	10/01	% ₹V	32.50
NOTE: 3LANK SPA *: 6AGE MOLESTE	CES INDICA D. DATA FO	TE NO R	EADING T	AKEN; OST	×	EADING	0.0		E (EXC	EPT AS	NOTED	÷				

TAR FEELPITATION OSTA

1732 MATER YEAR

≪.	200727001 00077001 00077001 0007077	5 4 4 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	800 150 0 50 800 150 0 50 800 150 0 50 800 0 50	4 V 4 C
SEPT.	12.00 10.00	W10 400 00 00 00 00 00 00 00 00 00 00 00 0	0 4 0 1 2 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4
JULY-	10/01/01/01/01/01/01/01/01/01/01/01/01/0		10.001	10/01 16/01 1ñ/01
		1	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
JUVE	41000000 410000000000000000000000000000		667273 667273 667273 6773 6773 6773 6773	6 / 30 6 / 30 6 / 30 6 / 30 6 / 30
	4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	# T C C C C C C C C C C C C C C C C C C
		2000000	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	S
	- NO C O O O O O O O O O O O O O O O O O	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	47 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
AFRIL	44444 00000000000000000000000000000000	0 3 100000	4/26 4/27 4/27 4/27 4/27 4/27	R 4/127 4/127 4/127 4/127 4/127
	040VVVW0 4014000W0 05460VV	0 MUNOW	4000000 700000 400000 700000	W
MARCH	MUMMUMMI MUMMI MUMMUMMI MUMMUMMI MUMMI MUMMUMMI MUMMUMMI MUMMUMMI MUMMUMMI MUMMUMMI MUMMUMMI MUMMUMMI	w woman	60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 2 2 2 2 2 3 2 3 2 3 2 4 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
> *	0 M M 1 M 2 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1		# # # # # # # # # # # # # # # # # # #	
T) Eu (N) Eu Eu	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	75.20	2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	A A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
>	#11 7 7 7 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7		を	0.00044E
40.04c		111111111111111111111111111111111111111	172.4	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
• • •	14 C C P P P P P P P P P P P P P P P P P	V 11 W 2 1-1-	W. 7 (1 V	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
000	2	2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	12/31	A 12/31 1 12/31 1 12/31 1 12/31
STATING NAME	10 TLAT 10 TLAT 10 TLAT 10 TAT 10		CECE / CE	KULUF CRYSTAL LITTLE GKASSY LONG FLAT TALL POLFS VENSTFP FLAT YANKEE RESYK

NOTE: PLANY SPACES INDICATE NO DEADING TAKEN, NEXT READING IS CUMULATIVE (EXCEPT AS VOTED *) *: DAS FOLLSTED; DATA FOR THIS PEPIOD LOST



DVLV MEVSUBING SILES SNOW COURSES AND RELATED

MOITDELORG 43RA JAUGE 2838JA





111.46PST U 111.20 11.22PST U 11.822PST U 11.22P U 11.22P U 11.22P U 11.23P U 11.33P U 11.136P U 11.136P U 11.136P U	16 v	-	11J3MP U 11J45a U 11J11PST U 11H44p U 11J37P U 11H21PST U		11H30 PST U 11H35p U 11H33p U 11H34p U 11H45p U 11H45p U 11H45	13H2a 13H4PS 13H1 U 13H3a U 11H14M		11612 11644 1166 1167 1167 1167MPST 11440p 11440p 116136 116137 1		10G11 W 10J6P W 10J67 W 10J7PST U 10G17 W 10G12 W 11H12PST U 11H12PST U	GREAT BAS
PROVO RIVER & UTAH Beaver Creek Divide Camp Albanott Clear Creek Ridge #1 Clear Creek Ridge #2 Clear Creek Ridge #2 Clear Creek Ridge #3 Durchman R. S. Hobble Creek Summit Flayson R. S. Rock Bridge	Porcupine Redden Mine (lower) Redden Mine (upper) Sergeont Lakes Shingle Mill Flat Smith & Morehouse	Lost Creek Park City Summit Parley's Canyon Summit Pine Canyon	Chalk Creek #3 East Shingle Lake Fast Shingle Lake Famington Canyon (lower) Famington Canyon (upper) Famotis Canyon Hardscrabble Hardscrabble Kilfoil Creek Kilfoil Creek		Ben Lomond Trail Gausey Dam Dry Bread Pand Guilder's Peak Middle Fork Ogden Powder Mountain Hideaway Powder Mountain Sundown					UPPER BEAR RIVER (abov Big Park Burts-Maller Ranch CCC Comp × Gold Hill Haysen for Station Kelly Ranger Station Lily Lake Abonte Cristo R. S. Poison Meadows x	GREAT BASIN DRAINAGE
LAKE 25 25 26 45 27 105 27 105 27 75 27 75 30 105 30 105			7 6 7 27 27 27 27 27 27 27 27 27 27 27 27 2		777768777			34 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9	* Harer, Idaho) 7 27N 7 27N 9 9 3N 15 1N 15 1N 13 26N 13 20 24 80 29 30N	SEC. TWP.
2365366637	7E 6E 6	4E 3E 4E	5 4 2 6 E E E E E	3E 8E 8E	22 4 4 E E E E E E E E E E E E E E E E E	14W 14W 14W 17W	4 3 3 4 4 3 3 4	423 423 1166 423 1166 1266 1266 1266 1266 1266 1266 12	118W 115W 10E 3E 2W	117W 10E 118W 9E 118W 10E 4E	RGE
8,280 9,200 8,000 8,000 8,000 7,560 7,560 9,000 9,000 9,050 9,050			7,500 6,950 8,000 8,000 7,400 8,260 7,300		8,450 8,450 8,450		5,800 6,700 5,800 6,800 6,250 6,100	10,00,087,877,80,70,75,50 85,500,600,600,600,600,600,600,600,600,60	7,900 8,400 8,400 7,950 5,300 6,300	8,700 7,500 10,000 8,200 8,260 8,260 8,500	ELEV.
10021P 10021P 10022P 10023P 10023P 10024P 10024P 10024P 10024P 10034P 10034P 10031	COLORADO		13M2MPST 13M2MPST 12M20 12M17	12M16 12M14 12M15P 12M11P	12L13. 12L7PST 12L12PST 12L8	11K34 11K12P 12K2P 11K39PST 12L1PS 11K36 12L11P 11K35	11K13P 11L1PST 11K11P 11K10P 11K2PST 11K3MPST	12L4PST 12M3 12M3PST 12M3PST 12M4P 12M5PST 12M5PST 11L9P 12L6PST 12M2MPST 12M2MPST 12M2MPST 12M2MPST 12M2MPST 12M2MPST	1235P 11341P 1133P 11344 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310 11310	11J25P 11J19 11J1B 11J21PST 10J8PST	NO.
ccccccccc			CC CC	cccc	CCCC	cccccc	ccccc	cccccccccc	ccccccc	cccc	STATE
Ashley Iwin Lakes Black's Fark G.SFast Fark Black's Fork Junction Buck Rasture Burnt Creak Grizzly Ridge Henny's Fark Hewinto G.S. Hickenson Park High line Trail Hole-in-the-Rock G.S.	RIVER DRAINAGE UPPER GREEN RIVER IN U		Little Grossy Creek Long Flat COAL CREEK Cedar City Golf Course SUSC Ranch	W HARMONY	Beaver Race Track Big Flar Merchant's Valley (upper) Otter Lake	Middle Fork Mt. Beldy R.S. Ook Creek Pickle Keg Springs Fine Creek Rees's Flat Shingle Mill Thiste Flat BEAVER RIVER	LOWER SEVIER RIVER (Includ Beaver Dam Farnsworth Lake G.B.R.C. Headquarters G.B.R.C. Meadows Gooseberry R.SCottonwood Creek	UPPER SEVIER RIVER (South Box Creek Byce Compon Caste Valley Duck Creek R. S. Farriew High-Top Mountain Kimberly Mine Midway Valley Fanguitch Lake Rainbow Point Squaw Springs	Desert Peak #2 Lamb's Canyon #2 Midle Canyon #2 Midle Canyon #2 Midle Canyon #2 Midle Canyon Mill Creek Mill D South Fork Mill D South For	PROVO RIVER & UTAH LA Souphone R.S. South Fork R.S. Timponogos Gave Camp Timponogos Divide Trial Lake JORDAN RIVER & GREAT Rewen's Cohin	
25 25 25 26 27 27 27 27 37 27 37	HAT		14 18 18	23 10 26 & 35 20 DRAINAGES	23 7 12	19 224 4 19 19	ž.	n of Rich 33 36 23 11 32 24 24 26 4 & 5	25 25 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	24 27 27 33 5 5 8 8 8 1 9	SEC
227227577222 2272227	(above Duches		385 385 365 375	35S 36S 35S 35S AGES		195 175 175 225 225 185	n P:	76 Jan 1988	288888888888888888888888888888888888888	LA K	C. TWP.
1126 200 1126 1126 1126 1127 1127 1127 1127	ne River)		18W 14W 11W	% W W W W W W W W W W W W W W W W W W W	5W 5W	32243344		2W 5W 5W 7W 5W 7W 7W 7W 7W 7W 7W	54 SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	9 3 2 2 8 8	RGE.
8,95,95,000 8,95,95,000 8,95,000 8,000 1,0			5,800 8,200	8,100 10,000 8,800 8,700	6,020 10,290 8,750 9,600	7,500 8,700 7,300 8,700 8,700 8,760	8,000 8,700 8,700 8,700	9,9,8,000 9,9,8,000 9,1,000 9,1,000 9,1,000 9,1,000 9,1,000	7,500 7,500 7,000 6,950 7,400 8,900 8,725 9,725	7,800 5,100 8,140 9,960	ELEV.
	13M5PST 12M6 12M3MPST	11M3PST	9M1P 9M2P 9L1 9L2P 9M3	11L4¢ 11L3p 11L3p	11K32 11K14 11K15PST	11K31PST 11K4 11K5P 11K40P 11K40P 11K28PST 11K28PST 11K29PST 11K27P	10K5M 11K42P 10K3M 11K33MP 10K6 10K2MPST 11K25	10.134 10.1254 10.1055 10.1055 10.1259 10.1259 9.189 10.1359 10.1359 11.13857	10,141ap 10,130PST 9,19ap 11,132MPST 11,123MPST 11,175 11,175 10,126ap 10,175T	9JIPST 10J37P 10J2 9J10aP 9J17P 10J20PST 9J16PST 9J12ap	NO.
10J7 10J7F 10J7F 10J7M 10J7M 10J7M 10J7M 10J7M 10J7M 10J7P 10J7P 10J7PST	CCC 1	C	CCCC	CCCC	cc c	cccccc	CCCCCC	cccccccc		CCCCCCC	STATE
Numbering System (example) Snow Course Only, Snow Course Only, Snow Course and Precipitation Cage. Snow Course and Precipitation Station Snow Course, Soil Privature Station Snow Course, Soil Privature Station and Snow Course. Soil Privature Station and Snow Course. Soil Privature Station and Snow Course. Privation Station and Snow Course. Privation Station and Snow Course. Privation Station Snow Soil Station Snow Snow Soil Station Snow Snow Soil Station Snow Snow Soil Station Snow Snow Snow Snow Snow Snow Snow Sn	VIRGIN RIVER Kolob-Crystol Long Volley Junction Webster Flat	ESCALANTE RIVER Widtsoe-Escalante, #3	SOUTHEASTERN UTAH DRA Buckboard Flat Camp Jackson LaSal Mountain LaSal Mountain (upper) Monticello Park	FREMONT RIVER Black's Flat-U.M. Greek Donkey Reservoir Fish Lake Johnson Valley	Wrigley Creek MUDDY RIVER Black's Fork Dill's Camp	SAN RAFAEL RIVER Buck Flat Goosehery Reservoir Huntington-Horseshoe Orange Olsen Red Pine Ridge Seeley Creek Stuar R.S. Upper Joe's Valley	Corral Cy Valley, Divide Alternate Grass Tail Creek-Left Fork Mud Creek Timberline White River #3 White River #3	Kidney Lake Lakefork Basin Lakefork Mounta in Lakefork Mounta in Lakefork Mounta in Mastly Mounta in Paradise Park Rock Creek Shadow Lake Strawberry Divide West Fork of the Duchesne	DUCHESNE RIVER Atwood Lake Brown Duck Ridge Chepeto-Whiterocks Lakes Currant Greek Daniels-Strawberry Summit East Portal East Portal Five Point Lake Indian Canyon Jackson Park	GREEN RIVER IN UTAH (above King's Cabin (upper) McCoy Park Middle Beover Creek Raynolds Park Spirit Lake Spirit Lake Front Creek Front Creek Vindy Park	NAME
illow recip	222	22	36 22 5 5 3 25	33 93	34 27	22 8 8 25 5 27 8 27 8 27 8 27 8 27 8 27	32 114 23 30	2 28 2 20 2 20 2 21 2 21 2 22 2 22 2 22	13 8 8 26 26 20 20 28	© Duches 22 6 31 9 10 17 9 9 2	SEC.
Aerial Marker. Precipitation Gage. Pillow and Temperature.	38S 38S 37S	345	ES 33S 34S 27S 27S 27S 33S	24S 30S 26S 25S	205	198 138 148 178 168 158	138 118 148 138 108	Z*32232422252	32 5 4 7 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	sne River) 15 15 27 17 18 18 18	TWP
ature.	9W 8W W6	1W	22E 22E 24E 24E 23E	3E 1E 2E	44 on	1674665554 16666666666666666666666666666666	14E 7E 13E 7E 13E 8E	3W 57W 44W 44W 11E 12W 12W	4W 6W 11W 11W 112W 6E 6E 5W 10E) (conti 21E 17E 16E 18E 18E 17E 17E 17E 20E 20E	RGE.
	9,250 7,500 9,200	9,500	9,000 8,600 8,800 9,850 7,050	9,400 9,800 8,700 8,850	9,200 9,200	9,400 8,700 9,800 7,200 9,200 10,000 17,950	8,200 8,100 7,970 8,600 9,100 9,100 8,550 7,400	100 100 100 100 100 100 100 100 100 100	10,840 10,350 10,350 10,350 10,350 11,000 11,000	8,730 10,680 8,650 10,400 10,300 10,100 9,400 9,400	E.

Agencies Cooperating

in Utah Snow Surveys

U. S. GOVERNMENT AGENCIES

U. S. Department of Agriculture Soil Conservation Service Forest Service

U. S. Department of Commerce NOAA, National Weather Service

U. S. Department of Interior
Bureau of Reclamation
Geological Survey
National Park Service

STATE AGENCIES

Utah State University
Utah State Department of Natural Resources
Division of Wildlife Resources
Division of Water Resources
Division of Water Rights
Bear River Commissioner
Price River Commissioner
Provo River Commissioner
Sevier River Commissioners
Spanish Fork River Commissioner
Utah Lake and Jordan River Commissioner

MUNICIPALITIES

Manti Salt Lake City

ORGANIZED PUBLIC AGENCIES

Beaver River Water Users Association
Board of Canal Presidents - Jordan River
Central Utah Conservancy District
Emery Canal and Reservoir Company
Moon Lake Water Users Association
Ogden River Water Users Association
Provo River Water Users Association
Strawberry Water Users Association
Sevier River Water Users Association
Weber River Water Users Association
Weber Basin Conservancy District

PRIVATE AGENCIES

Kaiser Steel Corporation

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE FEDERAL BLDG. -- ROOM 4420 125 SOUTH ST.

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE



WASHINTON, D.C. TOTAL

COOPERATIVE SNOW SURVEYS FEDERAL - STATE - PRIVATE

domestic and municipal water supply, hydro-electric power water supply for irrigation, necessary for forecasting generation, navigation, Furnishes the basic data mining and industry

"The Conservation of Water begins with the Snow Survey"

U.S. DEFT. OF MERCHIPMER LIBKARY, CURRENT SERIAL